

DQL QUERY

```

for MMJGBKLB

with code = "720*"
and RETAIL not = blank ;

list records
P in groups with group-totals ;
RECORD# ;
code ;
Code2 ;
AUTHOR1 in order ;
SORT I in order ;
TITLE2 ;
TITLE3 ;
"A"="A": count .
    
```

PROCEDURE FORMAT

```

1      10      20      30      40      50      60      70      80
-----+-----+-----+-----+-----+-----+-----+-----+
    
```

```

=====
=====
=====
REC#  AUTHOR          EDITOR          TITLE
-----
-----
-----
.Group Header
P
.items
-----
-----
.Group Trailer
count
.end
-----
-----
count
=====
=====
-----+-----+-----+-----+-----+-----+-----+-----+
1      10      20      30      40      50      60      70      80
    
```

FIELD DESCRIPTIONS

No.	Name	Type	Length	Remove Spaces?
1	P	Text	1	no
2	RECORD#	Numeric String	4	no
3	RECORD#	Numeric String	4	no
4	Code2	Text	10	no
5	AUTHOR1	Text	16	no
6	SORT I	Text	14	no
7	TITLE2	Text	16	yes

8	TITLE3	Text	25	no
9	"A"="A"	Number	10	no
	Number Type : Integer			
10	"A"="A"	Number	10	no
	Number Type : Integer			

Memory required:
Procedure Definition: 2388